# Safety Data Sheet

#### Aerocoat LVOC®



Date of Issue: 01/01/2023

#### 1 Identification

· Product identifier

· Trade name: Aerocoat LVOC®

· Manufacturer/Supplier:

Aeroflex USA Inc. 282 Industrial Park Rd., Sweetwater, TN 37874

·Telephone

Toll Free 1-866-237-6235

·Emergency telephone number:

ChemTel

1-800-255-3924 (North America)

1-813-248-0585 (International)

# 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not regulated.
- · Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- · Hazard statements: Not regulated.
- · Precautionary statements: Not regulated.
- Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
13463-67-7	Titanium dioxide	20-40%
14808-60-7	Quartz	<1%

#### · Additional information:

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for guartz and titanium dioxide note that the substance must be respirable.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

Description of first aid measures

(Cont'd. on page 2)



## Safety Data Sheet - Aerocoat LVOC®

(Cont'd. of page 1)

· After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Slight irritant effect on eyes.

Slight irritant effect on skin and mucous membranes.

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

· Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

Water fog / haze

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

(Cont'd. on page 3)



# Safety Data Sheet - Aerocoat LVOC®

(Cont'd. of page 2)

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### · Handling

## Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Handle with care.

Keep out of reach of children.

#### Conditions for safe storage, including any incompatibilities

## Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

Control paran		
Components w	vith limit values that require monitoring at the workplace:	
13463-67-7 Tita	anium dioxide	
PEL (USA)	Long-term value: 15* mg/m³ *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m³	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	
14808-60-7 Qua	artz	
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2	
		(Cont'd. on page 4



## Safety Data Sheet - Aerocoat LVOC®

(Cont'd. of page 3)

REL (USA) Long-term value: 0.05\* mg/m³ \*respirable dust; See Pocket Guide App. A TLV (USA) Long-term value: 0.025\* mg/m3 \*as respirable fraction Long-term value: 0.025 mg/m<sup>3</sup> EL (Canada) ACGIH A2; IARC 1 Long-term value: 0.10\* mg/m3 EV (Canada) \*respirable fraction Long-term value: 0.025\* mg/m3 LMPE (Mexico) A2, \*fracción respirable

#### • Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin. Avoid breathing mist, vapors, or spray.

- Engineering controls: No relevant information available.
- **Breathing equipment:**

Use respiratory protection when grinding or cutting material.

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· Protection of hands:



Protective gloves

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eve protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

**Body protection:** Protective work clothing

# 9 Physical and chemical properties

- Information on basic physical and chemical properties
- · Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic

(Cont'd. on page 5)



# Safety Data Sheet - Aerocoat LVOC®

	(Cont'd	d. of page
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	1.36	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Partly soluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	No relevant information available.	

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidizing agents.

- · Conditions to avoid Keep away from heat and direct sunlight.
- Incompatible materials

Oxidizers

Strong acids

· Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide



# Safety Data Sheet - Aerocoat LVOC®

(Cont'd. of page 5)

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin:

Based on available data, the classification criteria are not met.

Slight irritant effect on skin and mucous membranes.

· On the eye:

Based on available data, the classification criteria are not met.

Slight irritant effect on eyes.

Sensitization:

Based on available data, the classification criteria are not met.

Sensitizing effect by skin contact is possible with prolonged exposure

Ochonizing (	sheet by skin contact is possible with prolonged exposure.	
· IARC (Inter	national Agency for Research on Cancer):	
13463-67-7	Titanium dioxide	2B
14808-60-7	Quartz	1
1897-45-6	chlorothalonil (ISO)	2B
50-00-0	Formaldehyde	1
75-07-0	acetaldehyde	2B
140-88-5	ethyl acrylate	2B
· NTP (National Toxicology Program):		
14808-60-7   Quartz		

· NTP (National Toxicology Program):	
14808-60-7	Quartz
50-00-0	Formaldehyde
75-07-0	acetaldehyde

#### · OSHA-Ca (Occupational Safety & Health Administration):

50-00-0 Formaldehyde

· Probable route(s) of exposure:

Ingestion.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

Based on available data, the classification criteria are not met.

- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity Harmful to aquatic life with long lasting effects.

(Cont'd. on page 7)



#### Safety Data Sheet - Aerocoat LVOC®

(Cont'd. of page 6)

- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Avoid release to the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Other adverse effects No relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
Transport hazard class(es)	
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Environmental hazards · Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	l of Not applicable.

## 15 Regulatory information

(Cont'd. on page 8)



## Safety Data Sheet - Aerocoat LVOC®

(Cont'd. of page 7)

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Reference to palygorskite, quartz and titaniium dioxide is based on unbound respirable particles and is not generally applicable to product as supplied.

Present in trace quantities: 50-00-0, 75-07-0, 140-88-5, 1897-45-6.

13463-67-7	Titanium dioxide
12174-11-7	Attapulgite (Palygorskite)
14808-60-7	Quartz
1897-45-6	chlorothalonil (ISO)
50-00-0	Formaldehyde
75-07-0	acetaldehyde
140-88-5	ethyl acrylate

#### • Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Present in trace quantities.

67-56-1 Methanol

## · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):		national Agency for Research on Cancer):		
	13463-67-7	Titanium dioxide	2B	
	14808-60-7	Quartz	1	
	1897-45-6	chlorothalonil (ISO)	2B	
	50-00-0	Formaldehyde	1	
ĺ	75-07-0	acetaldehyde	2B	
	140-88-5	ethyl acrylate	2B	

#### · Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.



## Safety Data Sheet - Aerocoat LVOC®

(Cont'd. of page 8)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.