SAFETY DATA SHEET

AEROFLEX[®] SHEET & ROLL WITH PSA

AEROFLEX[®]

Date of Issue: 01/01/2023

Page 1/3

1. PRODUCT AND COMPANY IDENTIFICATION			
Identification of Product:	Closed Cell EPDM Thermal Insulation Sheet and Roll with		
	Pressure sensitive adhesive		
Trade Name:	AEROFLEX®		
Manufacturer/Supplier:	Aeroflex USA, Inc.		
	282 Industrial Park Road, Sweetwater, TN 37874		
Telephone Number:	Toll Free 1-866-237-6235		
Emergency Telephone Number:	ChemTel, Inc.		
	1-800-255-3924 (North America)		
	1-813-248-0585 (International)		

2. HAZARD IDENTIFICATION

Inhalation

No significant signs of any adverse health hazard are expected to occur as a result of inhalation exposure

Eye Contact

No significant signs of any adverse health hazards are expected to occur as a result of eye contact

Ingestion

Practically non-toxic

Skin Contact

No Significant signs of any adverse health hazards are expected to occur as a result of skin contact

3. COMPOSITION/INFORMATION ON INGREDIENTS

Health Hazardous Components

Elastomeric thermal insulation is an expanded, closed cell, cross-linked rubber compound. Pressure sensitive coating is a synthetic rubber based ashesive wih a paper release liner and is classified as an article which is not hazardous as defined by OSHA (29 CFR 1910.1200).

Following are the main ingredients in this product:

Rubber

Synthetic rubber (EPDM: Ethylene-Propylene-Terpolymer Rubber) CAS No. 25038-36-2 Aluminum Trihydrate CAS No. 21645-51-2 Carbon Black CAS No. 1333-86-4

Pressure Sensitive Adhesive

Adhesive Polyacrylic

SAFETY DATA SHEET





Date of Issue: 01/01/2023

SHEET & ROLL WITH PSA Page 2/ 4. FIRST AID MEASURES				
4.1113	Inhalation	Not required under normal use. If irritation persists, remove from exposure area		
	Eye Contact	No required under normal use. Flush with water until all traces of the material are done		
		Seek medical attention if irritation persists		
	Ingestion	If illness or adverse symptoms develop, obtain medical attention		
	Skin Contact	Not required under normal use		
		·		
5. FIRE-	-FIGHTING MEASURES			
	Extinguishing Media			
	Carbon Dioxide, ABC dry chemical, Water spray and foam			
	Specific Hazards with regard to Fire-Fighting measures			
	Approach from upwind side. Avoid breathing smoke, fumes or vapors on downwind side.			
	Approach from upwind			
		ective clothing, especially eye protection, and self contained breathing apparatus		
		ctive clothing, especially eye protection, and self contained breathing apparatus		
	Firefighters wear prote Hazardous Combusti	ctive clothing, especially eye protection, and self contained breathing apparatus		
	Firefighters wear prote Hazardous Combusti Material is stable unde	ective clothing, especially eye protection, and self contained breathing apparatus ion Products		
	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r	ective clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid.		
6. ACCI	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r	ective clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid.		
6. ACCI	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/	ective clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid.		
6. ACCI	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/ Land Spill	ective clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal		
6. ACCI	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/	ective clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal Product is insoluble. Collect spilled material and place in an appropriate container		
6. ACCI	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/ Land Spill Water Spill	Active clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal Product is insoluble. Collect spilled material and place in an appropriate container for reuse or disposal		
6. ACCI	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/ Land Spill	ective clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal Product is insoluble. Collect spilled material and place in an appropriate container		
	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/ Land Spill Water Spill	Active clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal Product is insoluble. Collect spilled material and place in an appropriate container for reuse or disposal		
	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/ Land Spill Water Spill Neutralizing Agent	Active clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal Product is insoluble. Collect spilled material and place in an appropriate container for reuse or disposal		
	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/ Land Spill Water Spill Neutralizing Agent	ective clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal Product is insoluble. Collect spilled material and place in an appropriate container for reuse or disposal Negligible		
7. HANI	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/ Land Spill Water Spill Neutralizing Agent DLING AND STORAGE Handling Condition Storage Condition	Active clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal Product is insoluble. Collect spilled material and place in an appropriate container for reuse or disposal Negligible No special precaution required Keep in normal room temperature with 50% rel. Humidity (PSA)		
7. HANI	Firefighters wear prote Hazardous Combusti Material is stable unde Carbon Dioxide, Low r DENTAL RELEASE MEAS If materials released/ Land Spill Water Spill Neutralizing Agent DLING AND STORAGE Handling Condition	Active clothing, especially eye protection, and self contained breathing apparatus ion Products er normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, nolecular weight alcohol/aldehydes and acid. SURES Spill Collect spilled material and place it in an appropriate container for reuse or disposal Product is insoluble. Collect spilled material and place in an appropriate container for reuse or disposal Negligible No special precaution required Keep in normal room temperature with 50% rel. Humidity (PSA) ENAL PROTECTION		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Expanded Foam Rubber
Specific Gravity (H ₂ O=1)	0.04-0.06
Service Temperature	-297°F to 257°F (-183°C to +125°C)
Thermal Conductivity	0.245 BTU.in/ft ² .hr.°F at Mean temp 75°F

SAFETY DATA SHEET

AEROFLEX[®] SHEET & ROLL WITH PSA

Page 3/3

AEROFLEX[®]

Date of Issue: 01/01/2023

Water Absorption Water Vapor Permeability Weather and UV resistance Flammability	0.2% by volume Max 0.03 Perm-inch (4.35 x 10 ⁻¹¹ g/Pa.m.s) Minimal Cracking Self-extinguishing
10. STABILITY AND REACTIVITY	
Stability and Reaction	Stable
Conditions to avoid	Negligible
Hazardous Decomposition Produ	Ict May generate Carbon Monoxide, Carbon Dioxide,
	Low molecular weight alcohol/aldehydes and acid

Will not occur

Hazardous Polymerization

9. PHYSICAL AND CHEMICAL PROPERTIES (Cont.)

11. TOXICOLOGICAL INFORMATION

No Data

12. ECOLOGICAL INFORMATION

No Data

13. DISPOSAL CONSIDERATION

Waste material may be disposed of in an approved landfill or may be incinerated under conditions which meet federal, state, and local environmental regulation.

14. TRANSPORT INFORMATION

No Data

15. REGULATORY INFORMATION

No Data

16. OTHER INFORMATION

The information supplied herein is related to material specified and may not be valid if used in combination with other material or process. Further the information contained here is believed to be reliable and based on correct state of our knowledge. However no guarantees of any kind can be give as to its accuracy.