

# MAS Certified Green® Certificate of Compliance

## Low-Emitting Materials



Awarded to: **AEROFLEX USA, INC.,**  
282 INDUSTRIAL PARK ROAD, SWEETWATER, TN 37874

Category: Construction Materials - Exterior/Interior\*\* Adhesives, Glues, Sealants & Coatings  
Cert. Scheme: VOC Content

Accredited Standards & Test Methods: South Coast Air Quality Management District Rule 1113 *low VOC content-adhesives & sealant applications*

\*Conforms With: Criteria of MAS Certified Green® Program *low-emitting materials*  
LEED v4.1 ID+C, BD+C, Healthcare, Schools *low-emitting materials VOC content*  
Material VOC Content *10.5 g/L*  
*(less water & less exempt compounds)*

Certified Products: Aerocoat LVOC Coating

Test Date: February 21, 2025 Report No.:2500081 Certificate No.: MAS2500081-02

**Valid: February 2025 to February 2026**



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by **Applied Technical Services, LLC** - ISO/IEC 17025:2017 (A2LA cert. #1888.02)  
3<sup>rd</sup> Party Product Certification by **MAS Certified Green®** - ISO/IEC 17065:2012

\*outside of A2LA accreditation scope

\*\*Compliance designation determined based on interior modeling scenarios and interior VOC Emissions guideline requirements.  
3945 Lakefield Ct. · Suwanee, Ga. 30024 · 770-866-3200 · <http://www.mascertifiedgreen.com/>